
Feeding Livestock? \$\$ IMPROVE YOUR EFFICIENCY \$\$







1800 335 623 www.delmade.com.au

PENCIL AUGER KITS

Electric Motor


Delivered in Flat Pack

4	1	Į

STOCK CODE	DESCRIPTION
GA410	3m x 4" Auger Barrel
EM750	1HP Single Phase Motor
AS410	Undercarriage Kit
ASW410	Winch Kit
GA413	4m x 4" Auger Barrel
EM750	1HP Single Phase Motor
AS413	Undercarriage Kit
ASW416	Winch Kit
GA416	5m x 4" Auger Barrel
EM750	1HP Single Phase Motor
AS416	Undercarriage Kit
ASW416	Winch Kit
GA420	6m x 4" Auger Barrel
EM1100	1.5HP Single Phase Motor
AS420	Undercarriage Kit
ASW426	Winch Kit
FJ-4	Split in centre for transport
GA426	8m x 4" Auger Barrel
EM1500	2HP Single Phase Motor
AS426	Undercarriage Kit
ASW426	Winch Kit
FJ-4	Split in centre for transport

Approximate Capacity - 4" Auger 7-10 Tonne/Hr (Wheat)								
DESCRIPTION								
3m x 5" Auger Barrel								
1HP Single Phase Motor								
Undercarriage Kit								
Winch Kit								
4m x 5" Auger Barrel								
1.5HP Single Phase Motor								
Undercarriage Kit								
Winch Kit								
5m x 5" Auger Barrel								
2HP Single Phase Motor								
Undercarriage Kit								
Winch Kit								
6m x 5" Auger Barrel								
3HP Single Phase Motor 15amp								
Undercarriage Kit								
Winch Kit								
Split in centre for transport								
8m x 5" Auger Barrel								
4HP Single Phase Motor 20 amp								
Undercarriage Kit								
Winch Kit								
Split in centre for transport								

Approximate Capacity - 5" Auger 12-15 Tonne/Hr (Wheat)



Approximate Capacity - 6" Auger 25-30 Tonne/Hr (Wheat)
* No lead or plug supplied - amps required to run motors must be considered.

MINI MOBILE AUGERS

STOCK CODE	AUGER SIZE	HP
GMP418H	5.5m(18') x 4"	5.5
GMP518H	5.5m(18') X 5"	5.5
GMP526H	8.0m(26') x 5"	5.5
GMP618H	5.5m(18') x 6"	5.5
GMP626H	8.0m(26') x 6"	5.5

Petrol Motor High-Speed Road Wheels Delivered Fully Assembled







^{*} No lead or plug supplied - amps required to run motors must be considered

AUGER HEIGHT CHART							
	3m	4m	5m	5.5m	6m	8m	
Reach at 35°	1.8m	2.3m	2.9m	3.2m	3.5m	4.7m	
* Verticle measurement from under discharge to the ground							

BIN FILL TIMES * (for wheat)								
DIA.	TONNES per/hr	1/2 tonne	1 tonne	2 tonne	3 tonne	4 tonne	10 tonne	24 tonne
4"	7-10	3.45 mins	7.30 mins	15 mins	22.30 mins	30 mins	1 hr 15 mins	3 hrs
5"	12-15	2.10 mins	4.20 mins	8.30 mins	13 mins	17.30 mins	43 mins	1 hr 45 mins
6"	25-30	1.20 mins	2.45 mins	5.30 mins	7.30 mins	11 mins	28 mins	1 hr 6 mins
8"	70-80	25 secs	45 secs	1.30 mins	2.30 mins	3 mins	8 mins	18 mins
* Times are approximate and can vary according to motor type and grain variations								

OPTIONAL ACCESSORIES









BAGGING CHUTES



TUBE CLAMPS



HIGH SPEED ROAD WHEELS



INTAKE CHOKES



Belt Guard Backing Plate

Pulley's & V-belt

Belt Guard

GEARDRIVE MOTORS




MINI HOPPERS



12 VOLT DRIVES



HYDRAULIC DRIVES



6.0HP

7.5HP

9.0HP

*12-15

3.0HP

3.0HP

4.0HP

*7-10

Safety Mesh Guard

Auger Flighting

Heavy Duty Foot

with Tow-lug

13m (43ft)

14m (46ft)

15m (50ft)

Capacities

T.I.G Welded Spiral Tube

Adjustable Motor Mount

* Approximate Capacities per Hour (Wheat) Tonne/Hour

9.0HP

10.0HP

11.0HP

*25-30

16.0HP

18.0HP

20.0HP

*70-80





Grainline introduced the Mini Mobile auger to fulfill the requests for a small petrol drive pencil auger. Unlike electric drive augers, a petrol drive auger requires the engine to be mounted at a suitable angle and in a position at the lower end of the auger where an operator can safely start and control the engine from the ground.

Grainline produce the Mini Mobile augers range complete with the undercarriage, winch kit and high speed road wheels.

The Grainline Mini Mobile auger is an entirely self-sufficient, user friendly auger offering great value and is a must for any farmer or grazier working with grain.

Mini Mobile Augers	4" x 5.5m/18'	5" x 5.5m/18'	5" x 8m/26'	6" x 5.5m/18'	6" x 8m/26'
Approx. Horse Power	5.5	5.5	5.5	5.5	5.5
Reach @ 35 degrees	3.2m/10'	3.2m/10'	4.6m/15'	3.2m/10'	4.6m/15'
Approx. Capacity @ 30°	10t/hr	15t/hr	15t/hr	30t/hr	30t/hr
Electric Start	N/A	N/A	N/A	N/A	N/A

